

Mobile Teledermatology of Acute Allergic Angioedema Case Reported

Mohammed Abdul Qader AlMalmi

Consultant of dermatology and aesthetic medicine in Doctor AlMalmi Clinic Sanaa Yemen and specialist dermatology and aesthetic medicine in Be You Plus Clinic Dubai UAE

***Corresponding author:** Mohammed Abdul Qader AlMalmi, Consultant of dermatology and aesthetic medicine in Doctor AlMalmi Clinic Sanaa Yemen and specialist dermatology and aesthetic medicine in Be You Plus Clinic Dubai UAE.

Submitted: 21 December 2024 **Accepted:** 26 December 2024 **Published:** 31 December 2024

doi <https://doi.org/10.63620/MKWJCD.2024.1002>

Citation: Mohammed Abdul Qader AlMalmi. (2024). Mobile Teledermatology of Acute Allergic Angioedema Case Reported. Wor Jour of Clin Der, 1(1), 01-03.

Abstract

Mobile Tele dermatology of Acute allergic angioedema case report.

Background: In addition, this type of angioedema can occur if an insect or spider bites you. Acute allergic angioedema happens quickly, usually within minutes to about one to two hours after you've contacted the allergen. You almost always have hives along with the swelling.

Patients and Methods: Ten years old Yemeni boy children patient presented with two big swelling in his forehead of acute onset. His father took a photo for him by mobile and sent me through WhatsApp. Mobile Tele dermatology. This occurred after an insect bite. He was treated with oral antihistamine and topical steroid. There were not any investigations.

Results: The clinical data and the investigations showed that patient had acute allergic Angioedema.

Conclusion: Acute allergic Angioedema was a common skin disease caused by insect bites.

Keywords: Mobile, Tele Dermatology, Yemen, Angioedema, Social Media, Allergic, Acute

Case Study

10 years old Yemeni boy children patient presented with two big swellings in his forehead of acute onset. His father took photos with his mobile for this son and sent it to me by WhatsApp tele

dermatology. I followed him outpatient and no investigations needed. The patient was treated with oral antihistamine and topical steroid. The main cause is insect bites (figure 1).



Figure 1: forehead two big swellings of acute allergic angioedema

Comment

Tele dermatology is a subspecialty in the medical field of dermatology and probably one of the most common applications of telemedicine and e-health [1]. In tele dermatology, telecommunication technologies are used to exchange medical information (concerning skin conditions and tumors of the skin) over a distance using audio, visual, and data communication. Applications comprise health care management such as diagnoses, consultation, and treatment as well as (continuous) education. The dermatologists Perednia and Brown were the first to coin the term "tele dermatology" in 1995. In a scientific publication, they described the value of a tele dermatologic service in a rural area underserved by dermatologists' Mobile telemedicine is a system in which at least one participant (the person seeking advice or the doctor, for instance) uses wireless or mobile equipment i.e. mobile phones, handheld devices), in contrast to conventional stationary telemedicine platforms. Travelers who develop skin lesions as well as doctors who are on the move in hospital/non-hospital areas can benefit from this new development in tele dermatology [2-10].

To facilitate access to medical advice and enable individuals to play a more active role in managing their own health status, mobile tele dermatology seems to be especially suited for patient filtering or triage. (i.e. referral based on the severity and character of their skin condition). Another possible practical application is for follow-up of individuals with chronic skin conditions. However, currently available studies show a high rate of missed skin cancers including melanoma, and there is not enough robust data to recommend this method of diagnosis and treatment. Suitability of cases Not all cases are suitable for tele dermatology [11-20].

The type of cases. suited for tele dermatology is a topic which requires more studies. Some studies have observed that eczema and follicular lesions were diagnosed with relatively more certainty, while in some other studies it was seen that diagnoses were made with more certainty in cases like viral warts, herpes zoster, acne vulgaris, irritant dermatitis, vitiligo, and superficial bacterial and fungal infections. Implemented projects by country of Yemen.

Angioedema is swelling that is similar to hives, but the swelling is under the skin instead of on the surface. Hives are often called welts. They are a surface swelling. It is possible to have angioedema without hives. Hives and angioedema may also occur after infections or with other illnesses (including autoimmune disorders such as lupus, and leukemia and lymphoma). A form of angioedema runs in families and has different triggers, complications, and treatments. This is called hereditary angioedema [21-24].

The main symptom is sudden swelling below the skin surface. Welts or swelling on the surface of the skin can also develop. The swelling usually occurs around the eyes and lips. It may also be found on the hands, feet, and throat. The swelling may form a line or be more spread out. The wallet is painful and may be itchy.

This is known as hives (urticaria). They turn pale and swell if irritated. The deeper swelling of angioedema may also be painful. Angioedema that does not affect breathing may be uncomfortable. It is usually harmless and goes away in a few days.

References

1. ATA Tele dermatology SIG. (2007). American Telemedicine Association. Archived from the original on 2 February 2007.
2. Wootton, R. (2017). Realtime Telemedicine. In Wootton R., Craig J., Patterson V., (eds.). Introduction to Telemedicine (Second ed.). CRC Press, 88.
3. Wurm, E. M., Hofmann-Wellenhof, R., Wurm, R., Soyer, H. P. (2008). Telemedicine and tele dermatology: past, present and future. JDDG: Journal Der Deutschen Dermatologischen Gesellschaft, 6(2), 106-112.
4. Burg, G., Soyer, H. P., Chimenti, S. (2005). Tele dermatology. In Frisch P., Burgdorf W., (eds.). EDF White Book, Skin Diseases in Europe. Berlin, 130-133.
5. Perednia, D. A., Brown, N. A. (1995). Tele dermatology: one application of telemedicine. Bulletin of the Medical Library Association, 83(1), 42.
6. Chuchu, N., Dinnes, J., Takwoingi, Y., Matin, R. N., Bayliss, S. E., Davenport, C., ... & Cochrane Skin Group. (1996). Teledermatology for diagnosing skin cancer in adults. Cochrane Database of Systematic Reviews, 12(12), CD013193.
7. Telederm.org. (2024) eDermConsult.
8. Binder, B., Hofmann-Wellenhof, R., Salmhofer, W., Okcu, A., Kerl, H., Soyer, H. P. (2007). Teledermatological monitoring of leg ulcers in cooperation with home care nurses. Archives of dermatology, 143(12), 1511-1514.
9. Ford, A. R., Gibbons, C. M., Torres, J., Kornmehl, H. A., Singh, S., Young, P. M., ... & Armstrong, A. W. (2019). Access to dermatological care with an innovative online model for psoriasis management: results from a randomized controlled trial. Telemedicine and e-Health, 25(7), 619-627.
10. IDD International Dermoscopy Diploma. (2011). Medizinische Universität Graz. Archived from the original on 13 January.
11. Derm Net, N. Z. (2024). New Zealand Dermatological Society.
12. Massone, C., Soyer, H. P., Lozzi, G. P., Di Stefani, A., Leinweber, B., Gabler, G., ... & Kerl, H. (2007). Feasibility and diagnostic agreement in tele dermatopathology using a virtual slide system. Human pathology, 38(4), 546-554.
13. Bauer, J., Leinweber, B., Metzler, G., Blum, A., Hofmann-Wellenhof, R., Leitz, N., ... & Garbe, C. (2006). Correlation with digital dermoscopic images can help dermatopathologists to diagnose equivocal skin tumours. British Journal of Dermatology, 155(3), 546-551.
14. Handyscope. (2018). FotoFinder Systems GmbH. Archived from the original on 10 April 2020. Retrieved 27 November.
15. Snoswell, C., Finnane, A., Janda, M., Soyer, H. P., Whitty, J. A. (2016). Cost-effectiveness of store-and-forward teledermatology: a systematic review. JAMA dermatology, 152(6), 702-708.
16. Chuchu, N., Takwoingi, Y., Dinnes, J., Matin, R. N., Bassett, O., Moreau, J. F., ... & Cochrane Skin Group. (1996). Smartphone applications for triaging adults with skin lesions that are suspicious for melanoma. Cochrane Database of Systematic Reviews, 2018 (12).
17. Kaliyadan, F., Venkitakrishnan, S. (2009). Teledermatology: clinical case profiles and practical issues. Indian Journal of Dermatology, Venereology and Leprology, 75, 32.
18. Schofield, J. G. D. W., Grindlay, D., Williams, H. (2009). Skin conditions in the UK: a health care needs assessment.
19. Nicholson, D. (2011). The Operating Framework for the NHS in England 2011/12.
20. Skin cancer responds to around 30% of all malignant tumors in the Country. (2019). Sociedade Brasileira de Medicina Tropical (in Portuguese).
21. Von Wangenheim, A., Nunes, D. H. (2019). Creating a Web Infrastructure for the Support of Clinical Protocols and Clinical Management: An Example in Teledermatology. Telemed J e Health, 25(9), 781-790.
22. Giavina Bianchi, M., Santos, A., Cordioli, E. (2021). Dermatologists' perceptions on the utility and limitations of teledermatology after examining 55,000 lesions. J Telemed Telecare, 27(3), 166-173.
23. Snoswell, C. L., Caffery, L. J., Whitty, J. A., Soyer, H. P., Gordon, L. G. (2018). Cost-effectiveness of Skin Cancer Referral and Consultation Using Teledermoscopy in Australia. JAMA Dermatology, 154(6), 694-700.
24. Snoswell, C. L., Whitty, J. A., Caffery, L. J., Finnane, A., Soyer, H. P. (2019). What do Australian dermatologists expect to be paid for store-and-forward teledermoscopy? A preliminary investigation (PDF). Journal of Telemedicine and Telecare. 25 (7): 438-444.