

# Visual Evoked Potential Findings in a Patient Suffering from Herpes Zoster Ophthalmicus

Seyed Mohammad Masoud Shushtarian<sup>1\*</sup>, Ahmad Shojaei<sup>2</sup>, Ardeshir Papei<sup>2</sup>

<sup>1</sup>Department of Biophysics and Biochemistry, Faculty of Advance Science and Technology, Tehran Medical Sciences, Islamic Azad University, Tehran, Iran

<sup>2</sup>Basir Eye Health Research Center, Iran University of Medical Sciences, Tehran, Iran

\*Corresponding author: Seyed Mohammad Masoud Shushtarian, Department of Biophysics and Biochemistry, Faculty of Advance Science and Technology, Tehran Medical Sciences, Islamic Azad University, Tehran, Iran.

Submitted: 20 July 2024 Accepted: 25 July 2024 Published: 31 July 2024

**Citation:** Seyed Mohammad Masoud Shushtarian, Ahmad Shojaei, Ardeshir Papei (2024) Visual Evoked Potential Findings in a Patient Suffering from Herpes Zoster Ophthalmicus. *Sci Set J of Ophthalmology & Eye Care* 3(3), 01-03.

## Abstract

A 62-year-old woman with herpes zoster ophthalmicus was referred to the eye clinic for visual evoked potential recording. She was complaining of headache epiphora and blurred vision in her right eye. She was treated for the disease before coming to the clinic. The latency of VEP, P100 peak was delayed for the right eye, whereas the VEP of the left eye was normal.

**Keywords:** Herpes Zoster Ophthalmicus, Visual Evoked Potential

## Introduction

Herpes zoster (HZ) or shingles is a viral infection that causes an outbreak of a painful rash or blisters on the skin. The varicella-zoster virus causes it. The rash most often appears on a band of rashes or blisters in one body area. This virus may involve the visual system, too. Therefore, Herpes zoster ophthalmicus (HZO) occurs when inflammation spreads from the ganglion of Gasser to the ophthalmic branch of the trigeminal nerve. Optic neuritis, a very rare sequela of HZO, can occur simultaneously with the acute vesicular skin eruption or, more frequently, as a postherpetic complication. Visual evoked potential (VEP) is a suitable technique for dealing with optic neuritis. Shushtarian SMM et al. (2017) worked on an optic neuritis patient. They used visual evoked potential using a flash type of stimulation to screen the visual pathway of the patient [1]. VEP can be used in patients suffering from blurred vision when the fundus eye examination is normal. A patient with blurred vision suffering from endometriosis and epilepsy was reported as a case one. The patient underwent a VEP examination, and a delay of VEP, P100 latency, was obtained. The reason for this delay was nothing but visual pathway disturbances due to side effects of anti-epileptic medicine carbamazepine [2]. There are some related references in this regard [3-4]. In fact, VEP can be used in several pathological conditions of the visual system [5-28]. Based on a detailed

literature review, the authors recorded VEP in a patient suffering from Herpes zoster ophthalmicus (HZO) with blurred vision to look for possible visual pathway disturbances in the patient.

## Case Report

A 62-year-old woman suffering from Herpes zoster ophthalmicus (HZO) in her right eye was referred to Basir eye clinic for a visual evoked potential examination. The history of the patient showed that she had an incidence of HZO two months before. During the episode, she had pain and tingling in the forehead, eye pain, redness, and swelling of the eyelids. She was treated for the illness, and the symptoms subsided partially. At the moment, she was complaining of epiphora, inflammation, blurred vision of the right eye and headache. The VEP examination of both eyes showed normal latency of VEP, P100 peak on the left eye, i.e. 95 msec, and delay in the right eye, i.e. 105 msec (The normal value for VEP, P100 peak latency in our laboratory is about 100 msec).

## Discussion

Shingles or herpes zoster may involve the visual system and produce herpes zoster ophthalmicus (HZO). The patient suffering from HZO was referred for a VEP examination. She was treated for her illness, but still, after two months, she was complaining

of headaches and blurred vision in her right eye. The VEP recording showed a delayed latency of VEP, P100 peak of the right eye, which indicates visual pathway disturbances. The following references may support the result of the present work.

Breno de Mello ritor et al. 2011 reported a 74-year-old woman who presented with HZ optic neuritis 45 days after developing an incompletely treated bout of trigeminal HZ, characterized only by pruritus. They concluded that the importance of non-specific manifestations of cutaneous HZ in the prodromal phase is to offer timely and appropriate treatment [29].

An old reference by Gunduz K et al. 1994 reported that a 48-year-old male diagnosed with right-onset herpes zoster ophthalmicus developed visual acuity loss in the left eye during the following three weeks. VEP recording revealed a marked increase in P100 latency and a marked decrease in amplitude in both eyes. Finally, they concluded that possibly the transsynaptic or intraneural spread of the varicella-zoster virus in the optic nerve might be responsible for this unexplained contralateral loss of visual acuity. [30]

### Conclusion

Herpes zoster ophthalmicus may produce visual pathway abnormalities in the visual system, which can be proven by the visual evoked potential.

### References

1. Seyed Mohammad Masoud Shushtarian, Maryam Naser, Farhad Adhami-Moghadam and Ahmad Shojaei (2017) Severe Headache Initiated by Flash Stimulation during Visual Evoked Potential Recording in a Patient with Monocular Optic Neuritis and History of Migraine Headache. *Journal of Ophthalmic and Optometric Sciences* 1: 36-39.
2. Seyed Mohammad Masoud Shushtarian, Fereshteh Shahmohammadi Dermami and Reza Pour Mazar (2021) Blurred Vision in a Patient Suffering from Endometriosis and Epilepsy. *Journal of Ophthalmic and Optometric Sciences* 5: 57-60.
3. Seyed Mohammad Masoud Shushtarian, Reza Pour Mazar (2021) Far Distance Blurry Vision Following Rhinoplasty. *Journal of Ophthalmic and Optometric Sciences* 5: 71-74.
4. Seyed Mohammad Masoud Shushtarian, Seyed Jalil Naghib, Farhad Adhami-Moghadam and Ahmad Shojaei (2020) Diplopia and Blurry Vision Following Refractive Eye Surgery: a Comorbidity Case Report. *Journal of Ophthalmic and Optometric Sciences* 4: 40-42.
5. Maryam Naser, Seyed Mohammad Masoud Shushtarian, Ahmad Shojaei Farhad and Adlami-Moghadam (2017) Visual Disturbance in a Patient with Amiodarone Treatment Following Refractive Surgery. *Journal of Ophthalmic and Optometric Sciences* 1: 39-42.
6. Seyed Mohammad Masoud Shushtarian, Farhad Adhami-Moghadam, Parnian Adhami-Moghadam and Hesam Abdolhoseinpour (2018) Electrophysiological Eye Examination Changes in a Patient with Sjogren's Syndrome. *Journal of Ophthalmic and Optometric Sciences* 2: 40-43.
7. Seyed Mohammad Masoud Shushtarian, Khadijeh Haji Naghitehrani and Fatemeh Aflaki (2020) Diplopia and Flashes of Light Sensation in a Patient with Fragrance Allergy. *Journal of Ophthalmic and Optometric Sciences* 4: 47-49.
8. Seyed Mohammad Masoud Shushtarian and Reza Pour Mazar (2022) Unilateral Blindness in a Patient Following Root Canal Treatment. *Journal of Ophthalmic and Optometric Sciences* 6: 62-66.
9. Seyed Mohammad Masoud Shushtarian, Reza Pour Mazar, Ahmad Shojaei (2023) Bilateral Vision Loss in a Patient Following Cardiac Surgery. *Journal of Ophthalmic and Optometric Sciences* 6: 62-66.
10. Seyedehsaba Ameli, Ali Panahi sharif, Sanaz saleh, seyed Mohammad Masoud Shushtarian, Ahmad Shojaei (2023) Flash Visual Evoked Potential Recording in Patients with Brain Stroke. *Journal of Ophthalmology and Research* 6: 40-44.
11. Seyed Mohammad Masoud Shushtarian, Seyedeh Yasamin Jazayeri and Ali Vafaei (2023) Visual Evoked Potential Findings in Patients with Dyslexia. *Journal of Ophthalmic and Optometric Sciences* 7: 1-4.
12. Fatemeh Sarzaeim, Fatemeh Aflaki, Seyed Mohammad Masoud Shushtarian and Ahmad Shojaei (2024) Screening of Visual Pathway in Patients Suffering from Guillain Barre by Visual Evoked Potential. *Sci Set J of Ophthalmology & Eye Care* 3: 01-04.
13. Seyed Mohammad Masoud Shushtarian, Nazanin Fatemian, (2021) Large Difference in Latency of Visual Evoked Potential P100 Peak in Case of Pattern and Flash Stimulation in a Multiple Sclerosis Patient. *Journal of Ophthalmic and Optometric Sciences* 5: 73-76.
14. Seyed Mohammad Masoud Shushtarian (2021) Dizziness and Nausea Feeling During Pattern Reversal Checkerboard Visual Evoked Potential Recording in A Multiple Sclerosis Patient. *Journal of Ophthalmic and Optometric Sciences* 5: 44-47.
15. Seyed Mohammad Masoud Shushtarian and Reza Pour Mazar (2022) A Rare Case of Visual Decline due to Intradiscal Ozone Therapy in a Patient with Spinal Stenosis. *Journal of Ophthalmic and Optometric Sciences* 6: 27-29.
16. Seyed Mohammad Masoud Shushtarian (2022) Psychogenic Vomiting in a Child during Visual Evoked Potential Recording: A case Report. *Journal of Ophthalmic and Optometric Sciences* 6: 33-36.
17. Seyed Mohammad Masoud Shushtarian, Atoosa Shahriyari Kalantari, Fatemeh Â Tajik and Farhad Adhami-Moghadam (2017) Effect of occupational vibration on visual pathway measured by visual evoked potentials. *Journal of Ophthalmic and Optometric Sciences* 1: 7-11.
18. Fatemeh Sarzaeim, Mahboubeh Hashemzahi, Seyed Mohammad Masoud Shushtarian, Ahmad Shojaei, Jalil Naghib (2022) Flash Visual Evoked Potential as a Suitable Technique to Evaluate the Extent of Injury to Visual Pathway Following Head Trauma. *Journal of Ophthalmology and Research* 5: 20-23.
19. Fatemeh Sarzaeim, Mahboubeh Hashemzahi, Seyed Mohammad Masoud hushtarian, Ahmad Shojaei, Jalil Naghib (2022) Visual Evoked Potential Findings in Road Drilling Machine laborers. *Journal of Ophthalmology and Research* 5: 43-47.
20. Seyed Mohammad Masoud hushtarian, Ahmad Shojaei and Farhad Adhami Moghadam (2018) Visual Evoked Potentials Changes among Patients with Chronic Mustard Gas Exposure. *Journal of Ophthalmic and Optometric Sciences* 2: 6-9.

21. Seyed Mohammad Masoud hushtarian (2020) Suitable Stimulation Technique to Record Visual Evoked Potential in Migraine Patients. *Journal of Ophthalmic and Optometric Sciences* 4: 41-45.
22. Ramtin Hajibeygi, Seyed Mohammad Masoud Shushtarian, Shahla Abolghasemi and Minoo shahani (2020) Visual Evoked Potential Findings of Sjogren's Syndrome. *Journal of Ophthalmic and Optometric Sciences* 4: 13-17.
23. Fatemeh Sarzaeim, Sanaz Abdolalizadeh, Seyed Mohammad Masoud Shushtarian and Ahmad Shojaei (2022) Visual Evoked Potential Findings in Patients using Anti-Seizure medicine. *Journal of Ophthalmology and Research* 5: 123-126.
24. Seyed Mohammad Masoud Shushtarian, Fatemeh Tajik Hesar and Abdolhoseinpour (2018) Measurement of Visual Evoked Potentials in Patients with Spastic Cerebral Palsy. *J. Ophthalmic Optom Sci* 2: 10-13.
25. Seyed Mohammad Masoud Shushtarian, Reza Pour Mazar and Shahed Fadaeifard (2021) Visual Evoked Potential Recording in a Fatigued and Drowsy Patient under Anti-Seizure Medicine Treatment. *Journal of Ophthalmic and Optometric Sciences* 5: 67-70.
26. Seyed Mohammad Masoud Shushtarian (2020) Flash and Pattern Reversal Checkerboard Visual Evoked Potential Recording in Albinism Patients. *Journal of Ophthalmic and Optometric Sciences* 4: 42-46.
27. Seyed Mohammad Masoud Shushtarian and Mehdi Vahid Dastjerdi (2020) Total Blindness Following Anaphylactic Shock due to Co-Amoxiclav Treatment. *Journal of Ophthalmic and Optometric Sciences* 4: 39-41.
28. Seyed Mohammad Masoud Shushtarian, Ahmad Shojaei and Fatemeh Tajik (2018) Visual Pathway Disturbances in Rosai-Dorfman Disease: a Case Report. *Journal of Ophthalmic and Optometric Sciences* 2: 24-26.
29. de Mello Vitor, B., Foureaux, E. C. M., & Porto, F. B. O. (2011). Herpes zoster optic neuritis. *International ophthalmology* 31: 233-236.
30. Gündüz K and Ozdemir O (1994) Bilateral retrobulbar neuritis following unilateral herpes zoster ophthalmicus. *Ophthalmologica* 208: 61-64.